

Compact Evolution the ultimate blend of size & functionality

Goldacres has set the benchmark in spraying equipment for over 30 years

The new Compact Evolution comes equipped with a range of standard features that make it the perfect choice for pasture and smaller crop spraying application. Like all of Goldacres sprayers, the wide choice of optional extras allow you to customise a sprayer to suit your needs.

+ Road pack option including: rotating beacon, tail lights, oversize sign

+ Range of tanks - 1500, 2000 and 2500 Lt tanks sizes

+ Wet sight tube

+ Chemical hopper option

+ Diaphragm pump

+ Wheels 14.9x24

+ Swivel tow hitch

+ Mechanical jack

+ EZ control station - all key filling functions in one convenient location

+ Quick fill point

+ Excellent ground clearance

The Evolution of Spraying



+ **Delta boom** - widths 12-21 metres.
New design with Delta suspension

+ **Compact size**

+ **Easy tank access**

+ **Mudguards option**

+ **Walk through platform**

+ **Narrow drawbar** - narrow profile &
360° rotating hitch for tight turns

RSIZE

Standard specifications



	Compact Evolution 1500	Compact Evolution 2000	Compact Evolution 2500	Special Evolution 3000	Special Evolution 4000
Chassis	Fully welded steel RHS	Fully welded steel RHS	Fully welded steel RHS	Fully welded steel RHS	Fully welded steel RHS
Axle	60 series	60 series	60 series	70 series	90 series
Suspension	Rigid axle Suspension not available	Rigid axle Suspension not available	Rigid axle Suspension not available	Rigid axle Suspension not available	Rigid axle Airbag suspension option
Wheels	14.9x24	14.9x24	14.9x24	16.9x34	18.4x38
Brakes	N/A	N/A	N/A	N/A	N/A
Controller	3 way electric Raven SCS440 option	3 way electric Raven SCS440 option	3 way electric Raven SCS440 option	Raven SCS450 (maximum 5 sections)	Raven SCS450 (maximum 5 sections)
Pump	130 Lt/min	130 Lt/min	130 Lt/min	160 Lt/min	160 Lt/min
Fill station	EZ Control	EZ Control	EZ Control	EZ Control	EZ Control
Road lights package	Option	Option	Option	Option	Option
Mudguards	Option	Option	Option	Option	Option
Main tank	1500 Lt	2000 Lt	2500 Lt	3000 Lt	4000 Lt
Flush water tank	45 Lt	45 Lt	45 Lt	180 Lt	400 Lt
Agitation	Venturi - up to 600 Lt/min	Venturi - up to 600 Lt/min	Venturi - up to 600 Lt/min	Supermix venturi - max 1300 Lt/min	Supermix venturi - max 1300 Lt/min
Tank drain	2"	2"	2"	Remote operated 2"	Remote operated 3"
Tank fill	Top mount bottom fill - 2"	Top mount bottom fill - 2"	Top mount bottom fill - 2"	Top mount bottom fill - 2"	Top mount bottom fill - 2"
Sight tube	Wet	Wet	Wet	Wet	Wet
Filtration	Suction, pressure, nozzle filter & tank strainer.	Suction, pressure, nozzle filter & tank strainer.	Suction, pressure, nozzle filter & tank strainer.	Suction, pressure, nozzle filter & tank strainer.	Suction, pressure, nozzle filter & tank strainer.
Tank rinse nozzles	Option	Option	Option	Option	Option
Boom sizes	12 - 21 metre Delta	12 - 21 metre Delta	12 - 21 metre Delta	18 - 24 metre Delta	18 - 24 metre Delta 24 - 30 metre TriTech
Hydraulic wing tilt	Option	Option	Option	Option	Option
Hydraulic bi-fold	N/A	N/A	N/A	N/A	N/A
Hydraulic spool valves	N/A	N/A	N/A	N/A	N/A
3TS Dual boom	N/A	N/A	N/A	N/A	N/A
Ultraglide boom height control	N/A	N/A	N/A	N/A	N/A
Foam marker	Option - 40 Lt	Option - 40 Lt	Option - 40 Lt	Option - 40 Lt	Option - 40 Lt or 60 Lt
Induction hopper	Option	Option	Option	Option	Option
Transcal	Option	Option	Option	Option	Option
Direct Chemical Injection	N/A	N/A	N/A	N/A	N/A
Rapidfire (air check nozzles)	N/A	N/A	N/A	N/A	N/A
Rapidflow (boom recirculation)	N/A	N/A	N/A	N/A	N/A

An extensive range of optional equipment and accessories are available for each model visit www.goldacres.com.au for full details



Special Evolution 5000	Prairie Evolution 4000	Prairie Evolution 5000	Prairie Evolution 6500	Prairie Evolution 7500	Prairie Evolution 8500
Fully welded steel RHS	Heavy Duty fully welded steel RHS	Heavy Duty fully welded steel RHS	Heavy Duty fully welded steel RHS	Heavy Duty fully welded steel RHS	Heavy Duty fully welded steel RHS
90 series	90 series	90 series	90 series	110 series	110 series
Rigid axle Airbag suspension option	Rigid axle Airbag suspension option	Rigid axle Airbag suspension option	Rigid axle Airbag suspension option	Airbag suspension	Airbag suspension
18.4x38	18.4x38, 20.8x 42 option	18.4x38, 20.8x 42 option	18.4x38, 20.8x 42 option	20.8x42	24.5x32
N/A	Option	Option	Option	Option	Standard
Raven SCS450 (maximum 5 sections)	Raven SCS4400 (maximum 7 sections)	Raven SCS4400 (maximum 7 sections)	Raven SCS4400 (maximum 7 sections)	Raven SCS4400 (maximum 7 sections)	Raven SCS4400 (maximum 7 sections)
160 Lt/min	160 Lt/min,	250 Lt/min	250 Lt/min	250 Lt/min	320 Lt/min
EZ Control	EZ Control	EZ Control	EZ Control	EZ Control	EZ Control
Option	Option	Option	Option	Option	Option
Option	Option	Option	Option	Option	Option
5000 Lt	4000 Lt	5000 Lt	6500 Lt	7500 Lt	8500 Lt
400 Lt	400 Lt	400 Lt	400 Lt	400 Lt	400 Lt
Supermix venturi - max 1300 Lt/min	Supermix venturi - max 1300 Lt/min	Supermix venturi - max 1300 Lt/min	Supermix venturi - max 1300 Lt/min	Supermix venturi - max 1300 Lt/min	Supermix venturi - max 1300 Lt/min
Remote operated 3"	Remote operated 3"	Remote operated 3"	Remote operated 3"	Remote operated 3"	Remote operated 3"
Top mount bottom fill - 2"	Top mount bottom fill - 2"	Top mount bottom fill - 2"	Top mount bottom fill - 2"	Top mount bottom fill - 2"	Top mount bottom fill - 2"
Wet	Wet - Dry option	Wet - Dry option	Wet - Dry option	Wet - Dry option	Wet - Dry option
Suction, pressure, nozzle filter & tank strainer.	Suction, pressure, nozzle filter & tank strainer. Fill filter option.	Suction, pressure, nozzle filter & tank strainer. Fill filter option.	Suction, pressure, nozzle filter & tank strainer. Fill filter option.	Suction, pressure, nozzle filter & tank strainer. Fill filter option.	Suction, pressure, nozzle filter & tank strainer. Fill filter option.
Option	Standard	Standard	Standard	Standard	Standard
18 - 24 metre Delta 24 - 30 metre TriTech	24 - 36 metre TriTech	24 - 36 metre TriTech	24 - 36 metre TriTech	24 - 36 metre TriTech	24 - 42 metre TriTech
Option	Option	Option	Option	Option	Option
N/A	Option	Option	Option	Option	Option
N/A	Option	Option	Option	Option	Option
N/A	Option	Option	Option	Option	Option
N/A	Option	Option	Option	Option	Option
Option - 40 Lt or 60 Lt	Option - 60 Lt	Option - 60 Lt	Option - 60 Lt	Option - 60 Lt	Option - 60 Lt
Option	Option	Option	Option	Option	Option
Option	Option	Option	Option	Option	Option
N/A	Option	Option	Option	Option	Option
N/A	Option	Option	Option	Option	Option
N/A	Option	Option	Option	Option	Option